




TEXTURE GUIDE · TEXTURE

Read adult breakouts and build a kinder morning

Late breakouts change how a morning feels and how a shelf looks. After reading, you will know your pattern, choose textures you enjoy, and sense when a clinic visit fits.

- **Read pattern**
Even bumps with no blackheads suggest yeast rather than classic clogs.
- **Choose acids**
Salicylic acid loosens cells and moves into oil where pores block.
- **Steady meals**
Glycemic load links to acne while chocolate showed no link in one survey.

By Melissa Whitaker · Updated Aug 11, 2026 · 10 min read

CONTENTS

01	Learn the feel of each breakout type	05	Skip textures that block pores
02	Why flares start	06	Know when a clinic helps more
03	Shape a routine that feels good	07	The checklist
04	Food and pills minus the noise	08	Sources and further reading

Mirror light at 7 a.m. shows a tender spot along the jaw, and fingers hover before makeup or coffee. The pump feels too harsh, the balm feels too heavy, and last month’s new serum still sits half used. This guide slows that moment down and sorts patterns by look and feel.

01

Learn the feel of each breakout type

Adult female acne means acne in women past age 25, whether it continued since the teens or emerged newly during adult years. The base is layered. Development reflects inherited tendency, androgen drive with greater sebum flow, changed lipid mix, excess keratin in the follicle, growth chiefly of *Propionibacterium acnes*, plus inflammation.

One grouping sets inflammatory adult female acne at 58 percent of cases with papules, pustules and nodules that may scar, while retentional acne shows many open comedones and microcysts with more seborrhea. An adult female sample recorded 93.7 percent with comedones, 48.4 percent with trunk lesions, and 89.8 percent with several facial zones affected. Scars appear in 20 percent of women with adult female acne, and postinflammatory hyperpigmentation is common.

Comedonal acne feels like a rough patch of blackheads and whiteheads, where oil and dead cells fill pores. Inflammatory acne lifts red papules and pus filled pustules. Cystic acne builds deep pus filled cysts that can ache and leave scars without care, and hormonal shifts, stress and family background can contribute. Nodular acne makes sore hard solid lumps deep in skin instead of fluid filled cysts, and oral medications such as isotretinoin and antibiotics are typically needed.

Fungal acne reads differently to a close fingertip. It is a yeast overgrowth, it shows as tiny even bumps rising from follicles often in neat rows, and it never forms blackheads, nodules and cysts. That gap carries weight. When each bump shares the same size, prickles after sweat, and shrugs off standard acne care, yeast deserves a place on the list.

The neat lower face U shape looks shakier than older diagrams implied. The classic lower face U pattern in adult acne was doubted after one study saw 89.8 percent of women with several facial zones affected and only 11.2 percent with jawline spots. So trace the full face, with jaw, chest and back, instead of presuming hormones live only around the chin.

PATTERN	WHAT IT LOOKS LIKE	WHAT IT DOES NOT DO
Comedonal	Blackheads, whiteheads, grainy pores	Rare ache, rare flush
Papules and pustules	Crimson spots, a few with pus	Deep lumps remain missing
Cystic	Deep pus filled cysts, sore, may mark	Topical care alone seldom resolves
Nodular	Firm solid masses set deep in skin	Liquid filled tips seldom develop
Fungal overgrowth	Tiny even bumps in lines from follicles	No blackheads, nodules or cysts

02

Why flares start

Hormonal acne is tied to excess sebum, an oily substance in skin glands, that clogs pores and then leads to pimples. That line from Cleveland Clinic medical review on hormonal acne captures the chain. Across shifting months hormonal acne can move from blackheads and whiteheads toward sore cysts. About 50 percent of women in their 20s and 25 percent of women in their 40s experience hormonal acne, according to Cleveland Clinic.

Hormones move with the cycle, pregnancy, menopause and stopping birth control. As androgens climb, glands release more oil into the follicle. Dead cells that should slip away instead cling, the pore tightens, P. acnes expands in low oxygen, and the wall reddens. Stress and short sleep do not start the plug by themselves, but they can push oil and picking toward a flare.

Fingers are a trigger that can change. Picking or squeezing drives material deeper and slows healing, while it lifts the risk of marks. Potential acne contributors named by Cleveland Clinic cover pore clogging or oil rich hair and skin products, refined sugars and carbs, picking or squeezing, steroids, lithium, and polycystic ovary related conditions.

Food links are present yet hazy at the borders. A systematic review of 34 articles tied high glycemic index and higher daily glycemic load to acne onset and severity, with support from randomized controlled trials. A meta analysis pooling 78,529 children, adolescents and young adults tied any dairy and milk in particular to higher odds of acne, yet the studies were observational and cannot prove cause. In a survey of more than 24,000 adults with average

age 57, people with current acne were 54 percent more likely to eat a high fat plus high sugar diet than people who never had acne. In the same adult survey, neither dark nor milk chocolate was tied to past or current acne.

Pills merit their own pause. Steroids and lithium appear among possible contributors, and conditions tied to polycystic ovary patterns can linger behind stubborn breakouts. When breakouts arrive with irregular cycles, excess hair growth or sudden severe change, that story belongs in the dermatology visit.

FROM THE EDITORS

If bumps look uniform and itchy, or nothing fits the usual pattern, pause new actives and seek an in person check. Fungal acne can share space with other acne types and may even follow from some acne treatments, which makes self diagnosis unreliable.

03

Shape a routine that feels good

A workable ritual stands on three layers: soft cleansing, moisture, and one active at a time. Wash with lukewarm water and a mild cleanser, pat dry, moisturize to care for the barrier, and wear sun protection by day. Rough scrubs and constant swaps wear away the base that sound barrier function requires.

Salicylic acid cares for the clog itself. To soften that buildup salicylic acid is a beta hydroxy acid that acts as a desmolytic agent by loosening links between skin cells to lower dead cell accumulation that clogs pores. This unique property allows salicylic acid to penetrate your pores, in the words of a CeraVe skin smarts article on salicylic acid, since salicylic acid is lipid soluble, which lets it enter pores, making it useful for blackheads, excess oiliness and clogged pores. It fits blackheads, slick T zones and bumpy finish when applied a few evenings weekly, then tuned to tolerance.

Benzoyl peroxide cares for the bacteria. On fingertips first, benzoyl peroxide breaks down on skin and releases oxygen that is lethal to acne causing P. acnes bacteria. Over the counter benzoyl peroxide comes in concentrations from 2.5 percent to 10 percent, and stronger concentrations or excess use may raise redness, itching or sensitivity. Begin low, spread a sheer film or brief rinse wash, cushion well with moisturizer, and expect bleaching of towels.

Layer actives without sting

Though a dermatologist may combine them strategically for stubborn acne, benzoyl peroxide and salicylic acid are generally best used on their own because together they may increase irritation. Many adults prefer salicylic acid on certain days and benzoyl peroxide on others, or

one at sunrise and one after dark when skin permits. When tingling lingers, lower the rhythm before lifting the strength.

Common hormonal acne approaches cover tretinoin for blackheads and whiteheads, topical retinoid with topical antibiotic or benzoyl peroxide for inflammatory acne, and antibiotics or isotretinoin for moderate to severe acne. Retinoids steady shedding and help keep pores clear, azelaic acid supports redness and marks alongside clog control, and both ask for patience and sun care. Cleveland Clinic states improvement after starting treatment can take up to four to six weeks, and continued treatment is advised to prevent new acne.

Topical retinoids, salicylic acid and isotretinoin stay on the avoid list in pregnancy, and pregnant people should ask a provider about safer options that still feel lovely on skin. That warning steers the whole plan when pregnancy, trying to conceive or nursing is in view.

04

Food and pills minus the noise

Meals cannot account for each flare, yet two strands recur in research. High glycemic foods that spike blood sugar quickly track with more acne in reviews and trials, and milk tracks with higher odds in large observational pools. Dairy evidence is mixed and may vary by sex, ethnicity and cultural eating habits, with clearer signals where a Western diet is prevalent.

Memory skew colors surveys, because people with acne may remember food differently, and association cannot prove cause. The chocolate result keeps the picture in balance. In that large adult survey, chocolate itself was not tied to past or current acne, while a broader high fat plus high sugar pattern was. The hint leans less toward a single banned food and more toward regular meals with fewer sweet drinks and refined carbs.

Try food like a patch test on a shelf, a single swap at once. Hold the ritual steady for four to six weeks, track sleep, cycle and stress beside skin, then cut sweet drinks or refined snacks, or review milk intake, and observe across two cycles. The adult upper limit for zinc is 40 mg a day, and high intakes carry downsides, so supplements call for a clinician and a label check rather than self dosing.

What stays unresolved is hands on. Which exact diet shift, if any, will calm breakouts for a given adult, and how long a trial should run, plus whether milk or high glycemic foods cause acne or only correlate with it in some groups, plus which supplement dose, if any, safely supports acne care without passing limits, are not settled.

FROM THE EDITORS

The full ingredient list for face, scalp and hair shows more than the front of the bottle. Labels like noncomedogenic and oil free are not regulated the same way drugs are, so read them as hints.

05

Skip textures that block pores

Pores block when oil, dead cells and product residue collect quicker than skin can shed them. Non oil free or comedogenic hair and skin products earn their place on that list. Pomades, dense oils and waxy balms can migrate from hairline and palms to cheeks and jaw, above all overnight.

Why noncomedogenic and oil free labels are not regulated explains why plain reading matters. No lone legal test sits behind the term, and one formula with the claim may sink in cleanly while another with the same claim leaves weight. Ingredients such as coconut oil, cocoa butter, beeswax, isopropyl myristate and red pigments are often listed as comedogenic, so they merit a careful look when breakouts ring the hairline, temples or mouth.

Read the full ingredient lists for face and hair products in this order. First scan leave on products that rest on skin longest, including moisturizer, sunscreen, primer, foundation and hair oil. Then scan the rinse off products smoothed over the chest and back in the shower. Keep a short log for two weeks when trialing one product at a time, because which exact product or ingredient is clogging a given persons pores without patch testing and routine review cannot be known from a list alone.

Airier gels, fragrance load kept low when skin is tender, and complete yet soft removal at night suit many adults. When brow bumps trail a fresh pomade, or chin flares trail a dense balm, shelve that product before inviting another active.

06

Know when a clinic helps more

Some acne calls for instruments past the vanity. Tender cysts or nodules, acne that leaves pits or dark marks, breakouts across chest and back that widen, or acne that holds firm after steady care for four to six weeks all suggest a visit. Prompt care cuts the risk that cysts leave durable scars.

A dermatologist can confirm whether yeast, rosacea or another rash shares the area, review steroids, lithium and hormonal history, and shape prescription care. Possible paths cover prescription antibiotics, hormonal therapy, isotretinoin or steroid injection for select lesions, matched to severity and history. Nodular care often calls for oral medication rather than topicals by themselves.

Carry a plain record: products with ingredient lists, cycle notes, sleep and stress notes, food changes tried, and dates with photos in the same light. Ask how the next four to six weeks should feel, how to keep that clear look going, and which treatments to skip in pregnancy. Continued treatment is often advised to prevent new acne, so the plan should name a calm maintenance routine, not only a short harvest.

07

The checklist

☐ Track pattern across face plus trunk for two weeks

☐ Flag even itchy bumps lacking blackheads

☐ Take weekly photos under same light

☐ Wash softly, add moisture, shield by day

☐ Begin with one active at gentle strength

☐ Choose salicylic acid for blackheads plus oil

☐ Start benzoyl peroxide at 2.5 percent

☐ Keep benzoyl peroxide apart from salicylic acid on skin.

☐ Talk about retinoid or azelaic acid suitability for you.

☐ Scan ingredient lists for hair plus face

☐ Trial fewer sweet drinks and refined carbs solo

☐ Observe milk intake with calm notes

☐ Leave lesions untouched without picking

☐ Schedule dermatology for cysts, nodules, scars

Sources and further reading

- Adult female acne: a guide to clinical practice* · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- Diet and acne: A systematic review · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- What Are the Different Types of Acne? · olanskydermatology.com
- Does diet really matter when it comes to adult acne? · health.harvard.edu
- Hormonal Acne: What Is It, Treatment, Causes & Prevention · my.clevelandclinic.org
- Does Sugar or Dairy Cause Acne? What the Diet Research Shows · vitaglobe.com

For information only, not medical advice. Patch test anything new, and see a dermatologist about a reaction that lasts, spreads or stings.



WRITTEN BY

Melissa Whitaker

Melissa produces the interviews at Second Skin: the research, the question lists, the follow-ups. She asks every founder how a formula should feel at nine at night, then asks why it took eleven samples to get there.
